

Homework 2

(Due date: Oct. 6th)

PROBLEM 1 (20 PTS)

- Refer to Activity 2 in the *High-Performance Embedded Programming with the Intel® Atom™ platform* → Tutorial 2
 - Activity 2 – Image Convolution in C: Execute the application so that it generates the `iss.bof` file. Provide a screenshot of the execution in the Terminal. (10 pts)
- Based, on the completion of the Activity 2, answer the following questions:
 - Input image pixels $\in [0,255]$ (integer range). For a pixel, what data type should be used (mark the correct answer) ?

char double int unsigned char

- Why is it that the output image values might fall outside the $[0,255]$ integer range? (3 pts)

- In the code of Activity 2, what data type are the output image values (the ones written on the `.bof` file) assigned?

char double int unsigned char

- Why is the size of the output `.bof` file 4 times as much as the size of the input `.bif` file? (2 pts)

- For proper displaying, it is customary for grayscale image pixels to be 8-bit unsigned integers. If the output matrix values fall outside the $[0,255]$ range, we can perform saturation in order to convert the element of the output matrix to 8-bit unsigned integers. This way the output matrix can be properly displayed on a screen. Complete the following table:

Output Matrix values (generated by the .c code):	Output matrix values converted to 8-bit unsigned integers:
256	
37	
-255	
-128	

- For a real-valued kernel, we would need to re-write the code to generate a real-valued output matrix. However, for proper displaying, the output matrix values would need to be converted to 8-bit unsigned integers via rounding and saturation. Complete the following table. (2 pts)

Output Matrix values (generated by a .c code):	Output matrix values converted to 8-bit unsigned integers:
278.35	
-256.78	
-128.59	
78.25	

PROBLEM 2 (20 PTS)

- In the following code snippet, a class `Circle` is defined. Then in `main()`, we use the class to compute the perimeter of a circle given the radius. Two options are provided.

```
using namespace std;
class Circle {
private:
    float radius;
public:
    Circle () {}
    Circle (float ra): radius(ra) {}
    void compute_perimeter () {
        float perimeter = 3.14*2*radius;
        cout << "Perimeter is :" << perimeter << endl;
    }
};
```

Option 1	Option 2
<pre>int main() { Circle C(3); C.compute_perimeter(); return 0; }</pre>	<pre>int main() { Circle C; C.radius = 3; C.compute_perimeter(); return 0; }</pre>

✓ Option 1: Syntax-wise, is it correct or incorrect? Why?

✓ Option 2: Syntax-wise, is it correct of incorrect? Why?

PROBLEM 3 (20 PTS)

- In the following code snippet, a class `Sample` is defined. Then in `main()`, we create two objects and perform associated operations.

```
using namespace std;  
class Sample {  
public:  
    int x, y, z, s;  
    Sample (): x(2), y(3), z(4) {}  
    Sample (int xa, int ya, int za): x(xa), y(ya), z(za) {}  
  
    int operation() {  
        s = x*y*z;  
        return s; }  
  
    int operation(int offset) {  
        s = x*y*z + offset;  
        return s; }  
};  
  
int main() {  
    int result_1, result_2;  
  
    Sample S1;  
    Sample S2(3,4,5);  
    result_1 = S1.operation();  
    result_2 = S2.operation(8);  
  
    cout << "Result (S1): " << result_1 << endl;  
    cout << "Result (S2): " << result_2 << endl;  
  
    return 0;  
}
```

✓ Provide the result of the Program Output: (10 pts)

Result (S1): ??
Result (S2): ??

✓ If S1 had been declared as `Sample S1(4,5,6)` (instead of `Sample S1`), what would be the program output on the first printed line:

▪ Result (S1): ??

✓ If S2 had been declared as `Sample S2` (instead of `Sample S2(3,4,5)`), what would be the program output on the second printed line:

▪ Result (S2): ??

PROBLEM 4 (25 PTS)

- In the following code snippet, a class `TestFunctor` is defined. Then in `main()`, we use the class to compute the perimeter of a circle given the radius. Three options are provided.

```
class Test {
public:
    Test (): x(1), y(1) {}
    Test (int xt, int yt): x(xt), y(yt) {}

    int operator() (int zt) {
        int b;

        z = zt;
        b = x*x + y*y + z*z;
        return b;
    }
private:
    int x;
    int y;
    int z;
};
```

Option 1	Option 2	Option 3
<pre>int main() { int r; Test myfunctor; myfunctor.x =4; myfunctor.y =6; r = myfunctor(7); cout << "r: " << r << "\n"; return 0; }</pre>	<pre>int main() { int r; Test myfunctor (4,6); r = myfunctor(7); cout << "r: " << r << "\n"; return 0; }</pre>	<pre>int main() { int r; Test myfunctor; r = myfunctor(7); cout << "r: " << r << "\n"; return 0; }</pre>

- ✓ Which option(s) is (are) syntactically incorrect? Option 1 Option 2 Option 3
 - For the incorrect option(s), why are they incorrect? (7 pts)
 - For the correct option(s), what is the value of `r`? (10 pts)

PROBLEM 5 (15 PTS)

- Refer to the Activity 4 in the *High-Performance Embedded Programming with the Intel® Atom™ platform* → Tutorial 2
 - ✓ Activity 4 – Neuron: Execute the application. Provide a screenshot of the execution in the Terminal. (10 pts)
- Based, on the completion of the Activity 4, answer the following questions:
 - ✓ Is it correct to include the following line in `main()`? Why or why not?
 - `cout << "AN.a: " << AN.a << endl;`
 - ✓ To allocate memory in `main()` for `AN.a`, could have done the following? Why or why not? (3 pts)
 - `AN.a (double *) calloc (NI, sizeof(double));`